




levers and lever movements

Form A



2646.00002
for all lever movements (1/2/3/4/5/6/7 and 8)

Form A




2740.40102	2740.40202
lever movements 1/2/5 and 6	lever movements 3/4/7 and 8

Form A




2660.40002	2640.40002
for all lever movements (1/2/3/4/5/6/7 and 8)	

lever movements




Form B



2641.40102	2641.40202
lever movements 1/3/6 and 8	lever movements 2/4/5 and 7

Form C



2641.40202	2641.40102
lever movements 1/3/6 and 8	lever movements 2/4/5 and 7

Form L




2644.40102	2644.40202
lever movements 1/3/6 and 8	lever movements 2/4/5 and 7

Form E



2643.40102	2643.40202
lever movements 1 and 3	lever movements 2 and 4

Form M



2645.60002
for all lever movements (1/2/3/4/5/6/7 and 8)

Cylinder cam locks with nut fixing

Article 2928, 2936

Brass cylinder, 5 pin tumblers

Additional information

Lever movements on page 05.02

Further cam types on page 05.02

2928 accessories (included)

- 1 x 2620 Nut M21
- 2 x 2621 Nut M10
- 1 x 2630 Fixing plate
- 1 x 2639 Driving plate
- 1 x 2643 Lever

page 05.15

2928 accessories (excluded)

- 1 x 2920 Adapter ring

page 16.15

2936 accessories (included)



- 1 x 2620 Nut M21
- 1 x 2621 Nut M10
- 1 x 2630 Fixing plate
- 1 x 2640 Cam

page 05.13

2936 accessories (excluded)

- 1 x 2920 Adapter ring

page 16.15



article-no.	Lever movement	cylinder finish	thickness	pack.	stock
2928.00103	1, 3	polished nickel plated	1-21,5 mm	1 pcs	
2928.00203	2, 4	polished nickel plated	1-21,5 mm	1 pcs	
2936.00103	1, 4, 6, 7	polished nickel plated	1-21,5 mm	1 pcs	
2936.00203	2, 3, 5, 8	polished nickel plated	1-21,5 mm	1 pcs	

Cylinder cam locks, push cylinders



Cylinder lever locks with nut fixture

Articles 2931, 2987

Brass cylinder, 5 pin tumblers

Article 7960

Brass cylinder, 4 pin tumblers

Additional information

Lever movements on page 05.02

Further cam types on page 05.02

2987 accessories (included)

2 x 2621 Nut M10

1 x 2622 Nut M19

1 x 2640 Cam

page 05.13

2931 accessories (included)

1 x 2620 Nut M21

2 x 2621 Nut M10

1 x 2640 Cam

page 05.13

7960 accessories (included)





1 x 2624 Nut M8

1 x 2625 Locking plate

1 x 2626 Nut

1 x 2646 Lever

page 05.16



article-no.	Lever movement	cylinder finish	code	thickness	pack.	stock
2931.00103	1, 4, 6, 7	polished nickel plated	keyed different	1-18 mm	1 pcs	✓
2931.00103:BN.0101	1, 4, 6, 7	polished nickel plated	BN0101	1-18 mm	1 pcs	✓
2931.00103:BN.0102	1, 4, 6, 7	polished nickel plated	BN0102	1-18 mm	1 pcs	✓
2931.00103:BN.0103	1, 4, 6, 7	polished nickel plated	BN0103	1-18 mm	1 pcs	✓



Cylinder lever locks with nut fixture

article-no.	Lever movement	cylinder finish	code	thickness	pack.	stock
2931.00103:BN.0104	1, 4, 6, 7	polished nickel plated	BN0104	1-18 mm	1 pcs	✓
2931.00103:BN.0105	1, 4, 6, 7	polished nickel plated	BN0105	1-18 mm	1 pcs	✓
2931.00103:BN.0106	1, 4, 6, 7	polished nickel plated	BN0106	1-18 mm	1 pcs	✓
2931.00103:BN.0107	1, 4, 6, 7	polished nickel plated	BN0107	1-18 mm	1 pcs	✓
2931.00103:BN.0108	1, 4, 6, 7	polished nickel plated	BN0108	1-18 mm	1 pcs	✓
2931.00103:BN.0109	1, 4, 6, 7	polished nickel plated	BN0109	1-18 mm	1 pcs	✓
2931.00103:BN.0110	1, 4, 6, 7	polished nickel plated	BN0110	1-18 mm	1 pcs	✓
2931.00203	2, 3, 5, 8	polished nickel plated	keyed different	1-18 mm	1 pcs	✓
2931.00203:BN.0101	2, 3, 5, 8	polished nickel plated	BN0101	1-18 mm	1 pcs	✓
2931.00203:BN.0102	2, 3, 5, 8	polished nickel plated	BN0102	1-18 mm	1 pcs	✓
2931.00203:BN.0103	2, 3, 5, 8	polished nickel plated	BN0103	1-18 mm	1 pcs	✓
2931.00203:BN.0104	2, 3, 5, 8	polished nickel plated	BN0104	1-18 mm	1 pcs	✓
2931.00203:BN.0105	2, 3, 5, 8	polished nickel plated	BN0105	1-18 mm	1 pcs	✓
2931.00203:BN.0106	2, 3, 5, 8	polished nickel plated	BN0106	1-18 mm	1 pcs	✓
2931.00203:BN.0107	2, 3, 5, 8	polished nickel plated	BN0107	1-18 mm	1 pcs	✓
2931.00203:BN.0108	2, 3, 5, 8	polished nickel plated	BN0108	1-18 mm	1 pcs	✓
2931.00203:BN.0109	2, 3, 5, 8	polished nickel plated	BN0109	1-18 mm	1 pcs	✓
2931.00203:BN.0110	2, 3, 5, 8	polished nickel plated	BN0110	1-18 mm	1 pcs	✓
2987.17103	1, 4, 6, 7	polished nickel plated	keyed different	1-17 mm	1 pcs	✓
2987.17203	2, 3, 5, 8	polished nickel plated	keyed different	1-17 mm	1 pcs	✓
2987.23103	1, 4, 6, 7	polished nickel plated	keyed different	3-23 mm	1 pcs	
2987.23203	2, 3, 5, 8	polished nickel plated	keyed different	3-23 mm	1 pcs	
7960.00103	1, 4, 6, 7	polished nickel plated	keyed different	1-6 mm	12 pcs	✓
7960.00203	2, 3, 5, 8	polished nickel plated	keyed different	1-6 mm	12 pcs	✓

Cylinder cam locks, push cylinders



Cylinder cam lock with adapter plate

Article 2940, 7940

Brass cylinder ø 18 mm; 5 pin tumblers;

iron nickel plated screw-on plate

Additional information



Lever movements on page 05.02

Further cam types on page 05.02

Art. accessories (included)

1 x 2640 Cam

page 05.13



article-no.	Lever movement	cylinder finish	pack.	stock
2940.00102	1, 4, 6, 7	mat nickel plated	1 pcs	
2940.00202	2, 3, 5, 8	mat nickel plated	1 pcs	
7940.00102	1, 4, 6, 7	mat nickel plated	1 pcs	
7940.00202	2, 3, 5, 8	mat nickel plated	1 pcs	

Cylinder cam locks with fixing plate

Article 2941, 7941

Brass cylinder $\varnothing$ 22 mm; 5 pin tumblers;

iron nickel plated screw-on plate

Additional information



Lever movements on page 05.02

Further cam types on page 05.02

Art. accessories (included)

1 x 2640 Cam

page 05.13



article-no.	Lever movement	cylinder finish	pack.	stock
2941.00102	1, 4, 6, 7	mat nickel plated	1 pcs	
2941.00202	2, 3, 5, 8	mat nickel plated	1 pcs	
7941.00102	1, 4, 6, 7	mat nickel plated	1 pcs	
7941.00202	2, 3, 5, 8	mat nickel plated	1 pcs	

Cylinder cam locks, push cylinders



Cylinder cam locks with fixing plate

Article 2946, 7946

Oval brass cylinder; 5 pin tumblers;
iron nickel plated screw-on plate

Additional information

Lever movements on page 05.02
Further cam types on page 05.02

Art. accessories (included)

1 x 2640 Cam

page 05.13

2946

SZ

7946


SZ

article-no.	Lever movement	cylinder finish	pack.	stock
2946.00102	1, 4, 6, 7	mat nickel plated	1 pcs	
2946.00202	2, 3, 5, 8	mat nickel plated	1 pcs	
7946.00102	1, 4, 6, 7	mat nickel plated	1 pcs	
7946.00202	2, 3, 5, 8	mat nickel plated	1 pcs	



push cylinder

Article 2971
Brass push cylinder; up tp 5 pins;
metal body and bolt
Twist bolt not sticking out in open position



article-no.	function	throw	pack.	stock
2971.00001	Cylinder dead brass, body and bolt brass-plated	6 mm	5 pcs	✓
2971.00002	Brass cylinder nick. Plated satin finish, body and bolt nickel plated	6 mm	5 pcs	✓

Operating- or assembly instruction see www.junie.de

Cylinder cam locks, push cylinders



Push cylinder

article-no.	cylinder finish	finish	code	throw	L	pack.	stock
2960.23002:BN.0106	mat nickel plated	nickel plated	BN0106	12 mm	23,5	1 pcs	✓
2960.23002:BN.0107	mat nickel plated	nickel plated	BN0107	12 mm	23,5	1 pcs	✓
2960.23002:BN.0108	mat nickel plated	nickel plated	BN0108	12 mm	23,5	1 pcs	✓
2960.23002:BN.0109	mat nickel plated	nickel plated	BN0109	12 mm	23,5	1 pcs	✓
2960.23002:BN.0110	mat nickel plated	nickel plated	BN0110	12 mm	23,5	1 pcs	✓
2960.23010:BN.0101	brass polished	brass polished	BN0101	12 mm	23,5	1 pcs	✓
2960.23010:BN.0102	brass polished	brass polished	BN0102	12 mm	23,5	1 pcs	✓
2960.23010:BN.0103	brass polished	brass polished	BN0103	12 mm	23,5	1 pcs	✓
2960.23010:BN.0104	brass polished	brass polished	BN0104	12 mm	23,5	1 pcs	✓
2960.23010:BN.0105	brass polished	brass polished	BN0105	12 mm	23,5	1 pcs	✓
2960.23010:BN.0106	brass polished	brass polished	BN0106	12 mm	23,5	1 pcs	✓
2960.23010:BN.0107	brass polished	brass polished	BN0107	12 mm	23,5	1 pcs	✓
2960.23010:BN.0108	brass polished	brass polished	BN0108	12 mm	23,5	1 pcs	✓
2960.23010:BN.0109	brass polished	brass polished	BN0109	12 mm	23,5	1 pcs	✓
2960.23010:BN.0110	brass polished	brass polished	BN0110	12 mm	23,5	1 pcs	✓
2960.30001	brass mat	brass polished	keyed different	16 mm	30	1 pcs	
2960.30002	mat nickel plated	brass polished	keyed different	16 mm	30	1 pcs	
2960.30003	polished nickel plated	nickel plated	keyed different	16 mm	30	1 pcs	
2960.30010	brass polished	brass polished	keyed different	16 mm	30	1 pcs	
2960.37001	brass mat	brass polished	keyed different	16 mm	37	1 pcs	
2960.37002	mat nickel plated	brass polished	keyed different	16 mm	37	1 pcs	
2960.37003	polished nickel plated	nickel plated	keyed different	16 mm	37	1 pcs	
2960.37010	brass polished	brass polished	keyed different	16 mm	37	1 pcs	

Cylinder cam locks, push cylinders



Lever locks and Glass door locks

Article 7480, 7481, 7482

Metal cam lock; only suitable for profile half cylinders with adjustable locking nose, length of cylinder on side A: 29,5-32,5mm

Cam movement on page 05.02

Cam types on page 05.02

7480 key removable in open and closed position

7481 key removable only in locked position

7482 key removable in open or closed position, depending on the position of the locking nose

Article 2603



Metal adapter transforms 7480, 7481 and 7482 into a glass door lock

Additional information

Measurements for article 2616, 2617 and 2618 on page 16.17

7480 + 7481 + 7482 accessories (included)

1 x 2615 Castle nut page 16.16
1 x 2640 Cam page 05.13

1 x 9990.00003 Allen key

7480 + 7481 + 7482 accessories (excluded)

1 x 3351 Profile half cylinder page 03.10

1 x 9990.00002 Hook wrench for lock nut

2603 accessories (included)

1 x 2616 Hole nut page 16.16

1 x 2617 Tube nut page 16.16

1 x 2618 Spacer washer page 16.16


2603 accessories (excluded)

1 x 9990.00001 Hook wrench for hole nut

7480 + 7481 + 7482



SZ
Option



2603



article-no.	description	function	Lever movement	dead bolt movement	thickness	pack.	stock
7480.00002	Lever lock	without forced closing	1 - 8	90°	1 - 23 mm	1 pcs	
7481.00002	Lever lock	with forced closing	1 - 8	90°	1 - 23 mm	1 pcs	
7482.00002	Lever lock	with and without forced closing	1 - 8	180°	1 - 23 mm	1 pcs	
2603.00002	Glass door lock	depending on lever lock	1 - 8	depending on lever lock	4 - 13 mm	1 pcs	

Lever


Article 2640, 2644, 2645

Iron nickel plated


Additional information

Lever movements on page 05.02


2640
Cam




2644.401
Cam



2644.402
Lever



2645
Cam



article-no.	lever movement (right hand lock)	lever movement (left hand lock)	lever form	L	pack.	stock
2640.30002	1,4,6,7	2,3,5,8	A	30	10 pcs	✓
2640.40002	1,4,6,7	2,3,5,8	A	40	10 pcs	✓
2640.70002	1,4,6,7	2,3,5,8	A	70	10 pcs	✓
2644.40102	1,6	3,8	L		10 pcs	✓
2644.40202	4,7	2,5	L		10 pcs	✓
2645.60002	1,4,6,7	2,3,5,8	M		10 pcs	✓

Lever


Article 2641, 2642

Iron nickel plated


Additional information

Lever movements on page 05.02


2641.401
Lever




2641.402
Lever



2642.401
Lever



2642.402
Lever



article-no.	lever movement (right hand lock)	lever movement (left hand lock)	lever form	pack.	stock
2641.40102	1,6	2,5	B	10 pcs	✓
2641.40202	4,7	3,8	B	10 pcs	✓
2642.40102	1,6	2,5	C	10 pcs	✓
2642.40202	4,7	3,8	C	10 pcs	✓

Cam


Article 2643, 2740

Iron nickel plated


Additional information

Lever movements on page 05.02


2643.401
Lever




2643.402
Lever



2740.401
Cam



2740.403
Lever



article-no.	lever movement (right hand lock)	lever movement (left hand lock)	lever form	pack.	stock
2643.40102	1	3	E	10 pcs	✓
2643.40202	4	2	E	10 pcs	✓
2740.40102	1,6	2,5	A	10 pcs	✓
2740.40302	4,7	3,8	A	10 pcs	✓





Lever

Article 2646, 2660

Iron nickel plated

Additional information

Lever movements on page 05.02



article-no.	Lever movement	lever form	pack.	stock
2646.20002	1,2,3,4,5,6,7,8	A	10 pcs	✓
2660.40002	1,2,3,4,5,6,7,8	A	10 pcs	✓