

Dead locks

**Article 1732, 1980**

Brass selvedge

Additional information

Article 1980 is also available with round brass plated selvedge, on request


1732 accessories (included)

1 x 0472 key


1980 accessories (included)

1 x 0305 key

1732



1980



article-no.	backset D	swing direction	pack.	stock
1732.15101:IC.686	15 mm	right/down	10 pcs	✓
1732.15201:IC.686	15 mm	left	10 pcs	✓
1732.20101:IC.686	20 mm	right/down	10 pcs	✓
1732.20201:IC.686	20 mm	left	10 pcs	✓
1732.25101:IC.686	25 mm	right/down	10 pcs	✓
1732.25201:IC.686	25 mm	left	10 pcs	✓
1732.30101:IC.686	30 mm	right/down	10 pcs	✓
1732.30201:IC.686	30 mm	left	10 pcs	✓
1732.35101:IC.686	35 mm	right/down	10 pcs	✓
1732.35201:IC.686	35 mm	left	10 pcs	✓
1732.40101:IC.686	40 mm	right/down	10 pcs	✓
1732.40201:IC.686	40 mm	left	10 pcs	✓
1980.10101	10 mm	right/down	10 pcs	✓
1980.10201	10 mm	left/down	10 pcs	✓

Locks, mortise type



Dead locks

Article 0668



Brass selvedge

Art. accessories (included)

1 x 0305 key

Additional information

Also available with round brass plated selvedge, on request



article-no.	backset D	shield type	dead bolt type	code	dimension X	pack.	stock
0668.15001	15 mm	brass	steel plastic encased (black)	keyed different	6 mm	10 pcs	✓
0668.15002:Z72.206	15 mm	brass nickel plated	grinded steel	6	6 mm	10 pcs	✓
0668.20001	20 mm	brass	steel plastic encased (black)	keyed different	7,5 mm	10 pcs	✓
0668.20002:Z72.206	20 mm	brass nickel plated	grinded steel	6	7,5 mm	10 pcs	✓
0668.25001	25 mm	brass	steel plastic encased (black)	keyed different	7,5 mm	10 pcs	✓
0668.25002:Z72.206	25 mm	brass nickel plated	grinded steel	6	7,5 mm	10 pcs	✓
0668.30001	30 mm	brass	steel plastic encased (black)	keyed different	7,5 mm	10 pcs	✓
0668.30002:Z72.206	30 mm	brass nickel plated	grinded steel	6	7,5 mm	10 pcs	✓
0668.35001	35 mm	brass	steel plastic encased (black)	keyed different	7,5 mm	10 pcs	✓
0668.35002:Z72.206	35 mm	brass nickel plated	grinded steel	6	7,5 mm	10 pcs	✓
0668.40001	40 mm	brass	steel plastic encased (black)	keyed different	7,5 mm	10 pcs	✓

- 01
- 02
- 03
- 04
- 05
- 06
- 07
- 08
- 09
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18

01

Locks, mortise type

02

Dead locks



03

Article 0663

Brass selvedge; right/left hand lock, usable as down lock

Art. accessories (included)

1 x 0305 key


04

Additional information

Also available with round brass plated selvedge, on request

05

0663.15+20




06

07

08

0663.25-50



09

10

article-no.	backset D	pack.	stock
0663.15001:IC.686	15 mm	10 pcs	✓
0663.20001:IC.686	20 mm	10 pcs	✓
0663.25001:IC.686	25 mm	10 pcs	✓
0663.30001:IC.686	30 mm	10 pcs	✓
0663.35001:IC.686	35 mm	10 pcs	✓
0663.40001:IC.686	40 mm	10 pcs	✓
0663.45001:IC.686	45 mm	10 pcs	✓
0663.50001:IC.686	50 mm	10 pcs	✓

12

13

14

15

16

17

18

Dead locks

Article 0665, 0667



Brass selvedge

Art. accessories (included)

1 x 0305 key

Additional information

Also available with round brass plated selvedge, on request



article-no.	backset D	pack.	stock
0665.15001	15 mm	10 pcs	✓
0665.20001	20 mm	10 pcs	✓
0665.25001	25 mm	10 pcs	✓
0665.30001	30 mm	10 pcs	✓
0665.35001	35 mm	10 pcs	✓
0665.40001	40 mm	10 pcs	✓
0665.45001	45 mm	10 pcs	✓
0665.50001	50 mm	10 pcs	✓
0667.15001	15 mm	10 pcs	✓
0667.20001	20 mm	10 pcs	✓
0667.25001	25 mm	10 pcs	✓
0667.30001	30 mm	10 pcs	✓
0667.35001	35 mm	10 pcs	✓
0667.40001	40 mm	10 pcs	✓
0667.45001	45 mm	10 pcs	✓
0667.50001	50 mm	10 pcs	✓
0667.60001	60 mm	5 pcs	✓
0667.70001	70 mm	5 pcs	✓
0667.80001	80 mm	5 pcs	✓

Dead locks with hook bolt


Article 2212

Brass selvedge; with bolt protection;

Manipulation proof due to quadripartite hook bolt

Additional information

Also available with round brass plated selvedge and strike plate, on request



article-no.	backset D	swing direction	pack.	stock
2212.15101	15 mm	right/down	10 pcs	✓
2212.15201	15 mm	left/down	10 pcs	✓
2212.20101	20 mm	right/down	10 pcs	✓
2212.20201	20 mm	left/down	10 pcs	✓
2212.22101	22 mm	right/down	10 pcs	✓
2212.22201	22 mm	left/down	10 pcs	✓
2212.25101	25 mm	right/down	10 pcs	✓
2212.25201	25 mm	left/down	10 pcs	✓
2212.30101	30 mm	right/down	10 pcs	✓
2212.30201	30 mm	left/down	10 pcs	✓

Artikel 2173

Brass selvedge; bolt protection;

undivided lockable hook bolt

Art. accessories (included)


1 x 0305 key

1 x 2516 Strike plate

page 16.26

Additional information

Also available with round brass plated selvedge and strike plate, on request



article-no.	backset D	swing direction	pack.	stock
2173.20101	20 mm	right/down	10 pcs	✓
2173.20201	20 mm	left/down	10 pcs	✓
2173.25101	25 mm	right/down	10 pcs	✓
2173.25201	25 mm	left/down	10 pcs	✓
2173.30101	30 mm	right/down	10 pcs	✓
2173.30201	30 mm	left/down	10 pcs	✓
2173.35101	35 mm	right/down	10 pcs	✓
2173.35201	35 mm	left/down	10 pcs	✓
2173.40101	40 mm	right/down	10 pcs	✓
2173.40201	40 mm	left/down	10 pcs	✓

Dead locks with wing bolt

Article 2110

Brass selvedge; protruding bolt; with wing bolts

Article 2131



Brass selvedge; with wing bolts

2110 accessories (included)

2 x 0338 key
1 x 2511 Spring-loaded strike plate page 16.30

2131 accessories (included)

1 x 0305 key
1 x 2585 Strike plate page 16.24



article-no.	backset D	swing direction	pack.	stock
2110.25301	25 mm	up/down	10 pcs	✓
2131.25101	25 mm	right/down	10 pcs	
2131.25201	25 mm	left/down	10 pcs	
2131.30101	30 mm	right/down	10 pcs	
2131.30201	30 mm	left/down	10 pcs	
2131.35101	35 mm	right/down	10 pcs	
2131.35201	35 mm	left/down	10 pcs	
2131.40101	40 mm	right/down	10 pcs	
2131.40201	40 mm	left/down	10 pcs	

01
02
03
04
05
06
07
08
09
10
11
12
13
14
15
16
17
18

01

Locks, mortise type

02

Dead locks with wing bolt



*Bezeichnete
Sache!*

03

Article 2144

Brass selvedge; with wing bolt


Art. accessories (included)

1 x 0305 key

1 x 2584 Strike plate

page 16.24

04



05

06

07

08

09

10

article-no.	backset D	swing direction	pack.	stock
2144.15101	15 mm	right/down	10 pcs	✓
2144.15201	15 mm	left/down	10 pcs	✓
2144.20101	20 mm	right/down	10 pcs	✓
2144.20201	20 mm	left/down	10 pcs	✓
2144.25101	25 mm	right/down	10 pcs	✓
2144.25201	25 mm	left/down	10 pcs	✓
2144.30101	30 mm	right/down	10 pcs	✓
2144.30201	30 mm	left/down	10 pcs	✓

11

12

13

14

15

16

17

18

Locks, mortise type



Article 1580

Brass selvedge; with latch

Additional information

Knobs in chapter 14

Article 2885

Brass cylinder with 5 pin tumblers; brass selvedge; protruding bolt; with wing bolt

1580 accessories (excluded)

1 x 2523 Strike plate

page 16.27



1 x 2712 Strike plate

page 16.25

2885 accessories (included)

1 x 2511 Spring-loaded strike plate

page 16.30



article-no.	backset D	cylinder finish	pack.	stock
1580.30001	30 mm		10 pcs	
1580.40001	40 mm		10 pcs	
2885.23402	25 mm	mat nickel plated	1 pcs	

- 01
- 02
- 03
- 04
- 05
- 06
- 07
- 08
- 09
- 10**
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18

Article 2886

Brass cylinder with 5 pin tumblers; brass selvedge;

Art. accessories (included)

1 x 2515 Strike plate


page 16.26

undivided lockable hook bolt

Additional information

Also available with round brass plated selvedge and strike plate, on request

Different cylinder types and lengths on pages 04.03, 04.04 and 04.06



article-no.	backset D	swing direction	cylinder finish	dimension X	dimension Y	pack.	stock
2886.16302	16,5 mm	down	mat nickel plated	8 mm	20,5 mm	1 pcs	
2886.20102	20 mm	right	mat nickel plated	4,5 mm	17 mm	1 pcs	✓
2886.20202	20 mm	left	mat nickel plated	4,5 mm	17 mm	1 pcs	✓
2886.21302	21,5 mm	down	mat nickel plated	8 mm	20,5 mm	1 pcs	
2886.25102	25 mm	right	mat nickel plated	4,5 mm	17 mm	1 pcs	✓
2886.25202	25 mm	left	mat nickel plated	4,5 mm	17 mm	1 pcs	✓
2886.26302	26,5 mm	down	mat nickel plated	8 mm	20,5 mm	1 pcs	
2886.30102	30 mm	right	mat nickel plated	4,5 mm	17 mm	1 pcs	✓
2886.30202	30 mm	left	mat nickel plated	4,5 mm	17 mm	1 pcs	✓
2886.16310	16,5 mm	down	brass polished	8 mm	20,5 mm	1 pcs	✓
2886.20110	20 mm	right	brass polished	4,5 mm	17 mm	1 pcs	✓
2886.20210	20 mm	left	brass polished	4,5 mm	17 mm	1 pcs	✓
2886.21310	21,5 mm	down	brass polished	8 mm	20,5 mm	1 pcs	✓
2886.25110	25 mm	right	brass polished	4,5 mm	17 mm	1 pcs	✓
2886.25210	25 mm	left	brass polished	4,5 mm	17 mm	1 pcs	✓
2886.26310	26,5 mm	down	brass polished	8 mm	20,5 mm	1 pcs	✓
2886.30110	30 mm	right	brass polished	4,5 mm	17 mm	1 pcs	✓
2886.30210	30 mm	left	brass polished	4,5 mm	17 mm	1 pcs	✓

Article 2888

Brass cylinder with 5 pin tumblers; brass selvedge;

undivided lockable hook bolt; right/left hand lock, usable as down and up lock

factory setting is right hand

Additional information


Also available with round brass plated selvedge and strike plate, on request

Different cylinder types and lengths on pages 04.03, 04.04 and 04.06

Art. accessories (included)

1 x 2516 Strike plate

page 16.26



article-no.	backset D (right/left)	backset D (up)	backset D (down)	cylinder finish	dimension X (right/left)	dimension X (up)	dimension X (down)	dimension Y (right/left)	dimension Y (up)	dimension Y (down)	pack.	stock
2888.20002	20 mm	16,5 mm	23,5 mm	mat nickel plated	7,5 mm	11 mm	11 mm	18,5 mm	22 mm	15 mm	1 pcs	✓
2888.25002	25 mm	21,5 mm	28,5 mm	mat nickel plated	7,5 mm	11 mm	11 mm	18,5 mm	22 mm	15 mm	1 pcs	✓
2888.30002	30 mm	26,5 mm	33,5 mm	mat nickel plated	7,5 mm	11 mm	11 mm	18,5 mm	22 mm	15 mm	1 pcs	✓
2888.35002	35 mm	31,5 mm	38,5 mm	mat nickel plated	7,5 mm	11 mm	11 mm	18,5 mm	22 mm	15 mm	1 pcs	✓
2888.40002	40 mm	36,5 mm	43,5 mm	mat nickel plated	7,5 mm	11 mm	11 mm	18,5 mm	22 mm	15 mm	1 pcs	✓
2888.20010	20 mm	16,5 mm	23,5 mm	brass polished	7,5 mm	11 mm	11 mm	18,5 mm	22 mm	15 mm	1 pcs	✓
2888.25010	25 mm	21,5 mm	28,5 mm	brass polished	7,5 mm	11 mm	11 mm	18,5 mm	22 mm	15 mm	1 pcs	✓
2888.30010	30 mm	26,5 mm	33,5 mm	brass polished	7,5 mm	11 mm	11 mm	18,5 mm	22 mm	15 mm	1 pcs	✓
2888.35010	35 mm	31,5 mm	38,5 mm	brass polished	7,5 mm	11 mm	11 mm	18,5 mm	22 mm	15 mm	1 pcs	✓
2888.40010	40 mm	36,5 mm	43,5 mm	brass polished	7,5 mm	11 mm	11 mm	18,5 mm	22 mm	15 mm	1 pcs	✓

