




System PZ for profile cylinders



Overview PZ



Standard profile cylinders – mechanic or mechatronic ones – can be integrated into furniture with JuNie's PZ system.

System characteristics:

- Integration of all profile cylinders according to DIN EN 18525.
- Easy exchange of cylinder without dismounting the lock.
- Various locks available: dead lock, latch lock, espagnolette lock with dead bolt or with latch independent of rod-use with backset 40mm, dead locks also in 22mm.
- **New:** Latch lock (1/2-turn with function „key removable only in locked position“) and dead lock 25 mm backset in down e.g. for drawers. Cam lock, glass door lock and central locking lock for Blum and Hettich box systems.
- Rotating knobs with/without lock function or fixed knobs.
New: Short knob: article number 3560/3563/3565.
- Protective plates as key drop with round opening or perforated for profile cylinders, self-adhesive or to screw on.
- Round or oval roses.
- All lock types can be integrated into existing JuNie systems by 7mm square.

Application:

„One key for everything“, inside and outside the building: entrance, inside doors and furniture.

01

02

03

04

05

06

07

08

09

10

12

13

14



15

16

17



18

page 16.22

03.03

Article 7401, 7403

Additional information

Art. accessories (included)

Operating- or assembly instruction see www.junie.de

System PZ for profile cylinder



Espagnolette locks with latch function

Article 7417

Metal case; lockable latch

Additional information

Knobs in chapter 14

Article 7418

Metal case; lockable latch; with cylinder fastening screw

Additional information

Accessories in chapter 16

Art. accessories (excluded)

1 x 2527 Strike plate

page 16.27

1 x 2710 Strike plate

page 16.25

7417.40 accessories (included)

2 x 1310 bracket

page 16.8

1 x 2415 Hook bolts

page 16.7

1 x 2425 Hook bolts

page 16.7

2 x 2530 Joint bolt on plate

page 16.13

7418.40 accessories (included)

2 x 1310 bracket

page 16.8

1 x 2415 Hook bolts

page 16.7

1 x 2425 Hook bolts


page 16.7

2 x 2530 Joint bolt on plate


page 16.13

1 x 7422 Cylinder fastening screw

7417.40



7418.40



article-no.	backset	swing direction	function	finish	rods	pack.	stock
7417.40102	40 mm	right	with fastening eyes to fit key drops 7425	nickel plated	divided	5 pcs	✓
7417.40202	40 mm	left	with fastening eyes to fit key drops 7425	nickel plated	divided	5 pcs	✓
7418.40102	40 mm	right	adjustable in axial direction, with fastening eyes to fit key drops 7424 / 7425	nickel plated	divided	5 pcs	✓
7418.40202	40 mm	left	adjustable in axial direction, with fastening eyes to fit key drops 7424 / 7425	nickel plated	divided	5 pcs	✓

Operating- or assembly instruction see www.junie.de

System PZ
for profile cylinder




Latch locks

Article 7449
Metal case; with latch; with cylinder fastening screw

Art. accessories (included)
1 x 7422 Cylinder fastening screw

Art. accessories (excluded)
1 x 2527 Strike plate
1 x 2710 Strike plate

page 16.27
page 16.25



article-no.	backset	swing direction	function	finish	pack.	stock
7449.25102	25 mm	down	Cylinder adjustable in axial direction, for turning movement right	nickel plated	5 pcs	✓
7449.25202	25 mm	down	Cylinder adjustable in axial direction, for turning movement left	nickel plated	5 pcs	

System PZ for profile cylinder



Knobs

Article 3570

Metal knob; rotating and lockable; with 2 grooves

Article 3573

Metal knob; rotating; with 2 grooves

Article 3575

Metal knob; nickel plated brass cover plate; fixed; with 2 grooves

3570 accessories (included)

1 x 3580 Rose
1 x 9990.00003 Allen key
1 x M5x8 grub screw for cylinder fastening




3570 accessories (excluded)

1 x 3351 Profile half cylinder

page 03.10

3575 accessories (included)

1 x M4x25 screw
1 x Cover plate



article-no.	finish	system	thickness	for ø drilling	ø knob	pack.	stock
3570.24002	mat nickel plated	PZ	18-26 mm	24 mm	40 mm	1 pcs	✓
3570.30002	mat nickel plated	PZ	18-26 mm	30 mm	40 mm	1 pcs	✓
3573.24002	mat nickel plated	PZ	18-26 mm	24 mm	40 mm	1 pcs	✓
3573.30002	mat nickel plated	PZ	18-26 mm	30 mm	40 mm	1 pcs	✓
3575.24002	mat nickel plated	PZ	min 12,5 mm	24 mm	40 mm	1 pcs	✓
3575.30002	mat nickel plated	PZ	min 12,5 mm	30 mm	40 mm	1 pcs	✓

System PZ for profile cylinder



Knobs

Article 3560

Metal knob; rotating and lockable; with 2 grooves;

only compatible with ILS locks starting with backset 25mm

Article 3563

Metal knob; rotating; with 2 grooves;

only compatible with ILS locks starting with backset 25mm

Article 3565

metal knob; brass cover plate, nickel plated;

fixed; with 2 grooves

3560 accessories (included)

- 1 x 3580 Rose
- 1 x 9990.00003 Allen key
- 1 x ILS- locking adapter
- 1 x M5x8 grub screw for cylinder fastening
- 1 x Rose for knob

3560 accessories (excluded)

- 1 x 3351 Profile half cylinder




page 03.10

3563 accessories (included)

- 1 x 3580 Rose
- 1 x ILS- locking adapter
- 1 x Rose for knob

3565 accessories (included)

- 1 x M4x25 screw
- 1 x Cover plate
- 1 x Rose Rose



article-no.	finish	system	thickness	ø knob	pack.	stock
3560.24002	mat nickel plated	ASS / PZ	15-26 mm	40	1 pcs	
3563.24002	mat nickel plated	ASS / PZ	15-26 mm	40	1 pcs	
3565.24002	mat nickel plated	ASS / PZ	15-26 mm	40	1 pcs	

System PZ for profile cylinder



Profile cylinder and snapped key insert

Article 3350

Brass euro-profile cylinder; with drill protection; steel locking nose

Article 3351

Brass euro-profile half cylinder; with drill protection; adjustable locking nose in 8 positions

Article 7423

Metal snapped key insert; for euro-profile locks

3350 accessories (included)

1 x M5x85 fastening screw

3351 accessories (included)

1 x M5x85 fastening screw

7423 accessories (included)


1 x Snapped key bit Snapped key bit

1 x M5x75 fastening screw

3350
Profile cylinder




Option




3351
Profile half cylinder



Option



7423
Locking insert for profile cylinder hole



article-no.	finish	cylinder length A	cylinder length B	pack.	stock
3350.00102	mat nickel plated	27 mm	27 mm	1 pcs	
3350.10102	mat nickel plated	31 mm	31 mm	1 pcs	
3351.00102	mat nickel plated	27 mm	9,5 mm	1 pcs	
3351.10102	mat nickel plated	31 mm	9,5 mm	1 pcs	
7423.00031				5 pcs	✓



System PZ for profile cylinder



Roses

Article 7420, 7421

Metal roses



article-no.	finish	pack.	stock
7420.00002	nickel plated	5 pcs	✓
7420.00038	steel, stainless steel colour	5 pcs	
7421.00002	nickel plated	5 pcs	✓
7421.00038	steel, stainless steel colour	5 pcs	

System PZ for profile cylinder



Escutcheons

Article 7424, 7425

Metal key drops; with 2 screws M4x30


Article 7426, 7427

Self adhesive key drops; metal

7424




Option



7425




Option



7426




Option



7427



Option



article-no.	finish	pack.	stock
7424.00002	nickel plated	5 pcs	✓
7425.00002	nickel plated	5 pcs	✓
7426.00002	nickel plated	5 pcs	✓
7427.00002	nickel plated	5 pcs	✓

System PZ for profile cylinder



Central locking devices for frontside mounting

Article 7490

Metal central lock; for operating **blum** drawer system; central lock for "Container" (unilateral), only appropriate for adjustable profile half-cylinders; length of profile cylinder 29,5-32,5mm on side A

Additional information

Calculation tool for mounting on www.junie.de

7490 accessories (included)

1 x 2615 Castle nut

page 16.16


1 x 2618 Spacer washer

page 16.16

7490 accessories (excluded)

1 x 3351 Profile half cylinder

page 03.10



article-no.	swing direction	function	finish	system	thickness	dimension X	dimension Y	pack.	stock
7490.55102	right	with and without forced closing	nickel plated	Legrabox/Tandem/Movento	19 + 22 mm	55,5 mm	66 mm	1 pcs	
7490.62102	right	with and without forced closing	nickel plated	Tandembox/Intivo/Antaro	19 + 22 mm	62,5 mm	73 mm	1 pcs	